



Brainerd, MN  
 Phone: 218-829-7974  
 Email: sarah@awlab.com

# On-site Water Sampling Request Form

Fill out sheet **completely** and fax, email or mail back to us.

Ordered By:	From:	Date:
Phone # for Above:	Cell:	
Email:	Fax:	

Buyer/Seller/Property Name:	Closing Date:
Property Address:	

Phone # of Residence:	<b>Payment will be taken care of by:</b>
Lock Box # / Location of key / # to call to get in:	

**Directions to Property from Brainerd Airport (or attach MLS sheet):**

Is home vacant: Yes No Water needs to be flushed if home has been sitting for a long time - call for instructions.  
 Is water on: Yes No Water needs to be on before we go sample.

- Test Requested:
- ( ) Total Coliform Bacteria \$21.00
  - ( ) E.coli bacteria Free with coliform
  - ( ) Nitrate \$21.00
  - ( ) Nitrite \$21.00
  - ( ) NO<sub>2</sub> + NO<sub>3</sub> Free with Nitrate and Nitrite
  - ( ) Lead \$27.00 ( ) Rush – 5 days (Additional \$27.00)
  - ( ) Double Rush – 3 days (Additional \$54.00)
  - ( ) Other \_\_\_\_\_

**Other fees:** Sampling fee is a minimum of \$65.00 for under an hour of travel time and anything more than an hour is rounded up to the nearest quarter hour at \$65.00/hour. Standard turn around time is approximately 2 weeks if lead is requested. If you would require results quicker, please make sure to check a rush box above.

<b>Send hard copy of results:</b>	<b>Send electronic copy of results:</b>
Name:	Email:
Address:	Fax:
	Other:

**On-site water testing needs to be prepaid by the buyer, seller or Realty Company. Please call for a quote.**

By signing below you agree to the following: to pay upfront for all sampling and analysis fees based on tests requested and sampling time, that the proper flushing and first draw sampling requirements for lead are followed per A.W. Research Laboratories, Inc. instructions and that A.W. Research Laboratories, Inc. is unable to reproduce any report, except in full.

Signature	Printed	Date
-----------	---------	------

Lab Code #:		FOR OFFICE USE ONLY			
Scheduled Date/Time:	@	Sample Location:			
Sampled Date/Time:	@	Sampler:			
Received Date/Time:	@	Sampling Time:	TOTAL COST:		
Receiving Temp:	°C Type:	Prepaid by:			
Residual Chlorine:	mg/L	Amount:	Check #:		